

In the Claims:

1. (CURRENTLY AMENDED) A utilization control system for limiting access by the operator of a vehicle to programmable computer having ports for delivering output signals to communications devices mounted on said vehicle comprising:

at least one vehicle motion condition detector providing signals indicative of current motion of said vehicle and of potential motion of said vehicle;

at least one signal processor responsive to signals provided by said at least one detector indicative of vehicle motion and potential vehicle motion to generate blanking signals;

at least one vehicle mounted communications device; and

at least one blanking device associated with said signal processor and said communications device responsive to said blanking signals and configured to shut down output from the computer ports to said communications device to prevent utilization or interaction with said at least one communications device by said vehicle operator.

2. (Original) The system of Claim 1 wherein said at least one motion condition detector comprises one of an accelerometer, an electric speedometer, and antilock brake system and a transmission part/neutral switch.

3. (CURRENTLY AMENDED) The system of Claim 1 wherein said at least one signal processor comprises a programmable digital signal processor configured to deliver outputs to temporarily block device outputs that may be dangerously distracting to the vehicle operator at that time.

4. (Original) The system of Claim 3 wherein said programmable digital signal processor is a "PC" type computer.

Appl. No.: 10/055,122
Applicant: Brian E. Belcher
Docket No.: MMSO18351

5. (Original) The system of Claim 4 wherein said "PC" computer includes an output monitor and an input keyboard.
6. (Original) A system of Claim 2 wherein said at least one signal processor comprises a programmable digital signal processor.
7. (Original) The system of Claim 6 wherein said programmable signal processor is a "PC" type computer and includes an output monitor and an input keyboard.
8. (Original) The system of Claim 7 wherein said at least one motion condition detector comprises an accelerometer.
9. (Original) The system of Claim 7 wherein said at least one motion condition detector comprises a transmission park/neutral switch.
10. (Original) The system of Claim 7 wherein said at least one motion condition detector comprises an antilock brake system.
11. (Original) The system of Claim 7 wherein said at least one motion condition detector comprises an electrical speedometer.
12. (CURRENTLY AMENDED) A utilization control system for limiting access by the operator of the vehicle to communications devices mounted on said vehicle comprising:
 - a vehicle motion condition detector providing signals indicative of current motion of said vehicle and of potential motion of said vehicle said detector comprising one of an accelerometer, an antilock ; brake system, an electrical speedometer, and a transmission park/neutral switch; and :

a programmable digital computer used as a communication device on board said vehicle and additionally programmed to be responsive to said signals indicative of motion and of potential motion to generate blanking signals applied to said digital computer and limiting said operator's utilization of said computer.

13. (Original) The system of Claim 12 wherein said blanking signals are additionally applied to others of said communication devices mounted on said vehicle.

14. (Original) The system of Claim 13 wherein said others of said communications devices include voice communications devices.

15. (Original) The system of Claim 13 wherein said others of said communications devices include visual communications devices.

16. (Original) The system of Claim 1 further comprising an optical isolater circuit in the signal path between said at least one vehicle motion condition detector and said at least one signal processor.

17. (CURRENTLY AMENDED) The system of Claim 12 further ~~comprosing~~ comprising an optical isolater circuit in the ~~sequal path~~ signal path between said vehicle motion condition detector and said programmable digital computer.
